

FILING CABINETS

Open Shelf Filing Cabinets	161
Lateral Mobile Systems	162
4-Post Open Shelf Files	163
4-Post Open Shelf X-Ray Files	164
Locking Tambour Door Kits	164
Standard File Transfer Carts	165
Standard File Transfer Carts with Locking Door	165

OPEN SHELF FILING CABINETS

All folder labels are clearly visible for easy filing. Features a build as you need design, so you can stack tiers up to 8 high. As your file needs grow just add tiers. Each tier is constructed of heavy 18 gauge steel with scratch resistant finish. Four sturdy dividers are welded to the shelf to give the system extra strength. Each tier holds up to 200 lbs. Tiers come fully assembled and are ready to stack. 2" base with top included with each section. Available in 2 colors-Beige and Gray. (* Note: Please add 01 to the stock number to indicate gray as your preference.)

Individual tiers measure:

12.16" D x 10.37" H. and either 24", 36", 42" or 48" widths

WORK SHELF

An important accessory for any open shelf filing system. Add a shelf between the 3rd and 4th tier for chair height or between the 4th and 5th tier for standing height. To maintain uniform section heights in a file system, you must order Spacer for those sections which will not have work shelves. Available in 2 colors- Beige or Gray. (* Note: Please add 01 to the stock number to indicate gray as your preference.)

Specifications

- Tiers come fully assembled and are ready to stack and connect
- 2" base with top
- 18 gauge tiers are designed to hold 200lbs
- Scratch resistant finish available in 2 colors- Beige or Gray. (* Note: Please add 01 to the stock number to indicate gray as your preference.)

DESCRIPTION	WIDTH	HEIGHT	STOCK NO.
5-Tier File	24"	53.85"	B-S-LTR-24-5
6-Tier File	24"	64.22"	B-S-LTR-24-6
7-Tier File	24"	4.59"	B-S-LTR-24-7
8-Tier File	24"	84.96"	B-S-LTR-24-8
2" Top w/Base Set	24"	2.00"	B-S-LTR-24-TB
2" Spacer	24"	2.00"	B-S-LTR-24-S
Individual Tier	24"	10.37"	B-S-LTR-24
<hr/>			
5-Tier File	36"	53.85"	B-S-LTR-36-5
6-Tier File	36"	64.22"	B-S-LTR-36-6
7-Tier File	36"	74.59"	B-S-LTR-36-7
8-Tier File	36"	84.96"	B-S-LTR-36-8
Work Shelf	36"	2.50"	B-S-LTR-36-WS
2" Top w/Base Set	36"	2.00"	B-S-LTR-24-TB
2" Spacer	36"	2.00"	B-S-LTR-36-S
Individual Tier	36"	10.37"	B-S-LTR-36
<hr/>			
5-Tier File	42"	53.85"	B-S-LTR-42-5
6-Tier File	42"	64.22"	B-S-LTR-42-6
7-Tier File	42"	74.59"	B-S-LTR-42-7
8-Tier File	42"	84.96"	B-S-LTR-42-8
Work Shelf	42"	2.50"	B-S-LTR-42-WS
2" Top w/Base Set	42"	2.00"	B-S-LTR-42-TB
2" Spacer	42"	2.00"	B-S-LTR-42-S
Individual Tier	42"	10.37"	B-S-LTR-42
<hr/>			
5-Tier File	48"	53.85"	B-S-LTR-48-5
6-Tier File	48"	64.22"	B-S-LTR-48-6
7-Tier File	48"	74.59"	B-S-LTR-48-7
8-Tier File	48"	84.96"	B-S-LTR-48-8
Work Shelf	48"	2.50"	B-S-LTR-48-WS
2" Top w/Base Set	48"	2.00"	B-S-LTR-48-TB
2" Spacer	48"	2.00"	B-S-LTR-48-S
Individual Tier	48"	10.37"	B-S-LTR-48



OPEN SHELF FILING CABINET



WORK SHELF



CALL FOR PRICING ON LEGAL SHELVING



CALL FOR PRICING ON X-RAY SHELVING

FILING SHELVING



LATERAL MOBILE SYSTEM

LATERAL MOBILE SYSTEMS

Our Lateral Mobile systems give you more filing inches of storage in less floor space than any comparable filing systems. These systems are available with 2 or 3 sections of fixed shelving in the back and with one or two sections of movable shelving in the front. Each system can accommodate either 6, 7, or 8 levels of our stackable open shelf filing. Each stackable tier measures 36"W x 12.16"D x 10.37" H and includes 4 welded dividers to keep files organized and in place. Each filing unit includes a 2" base and top. Just add more tiers and/or track to expand your system. Choose from 2 x 1 unit (2 stationary/1 mobile), 3 x 2 unit (3-stationary/2 mobile), or 7-unit (4 stationary/3 mobile), systems. Beige or Gray. (* Note: Please add 01 to the stock number to indicate gray as your preference.)

Lateral Mobile System – Technical Specifications

Carriage

- Fully assembled; able to accept a variety of shelving recessed to a depth of 5/8"
- H-shaped, 1/8" wall thickness, 6063T5 aluminum alloy extrusion frame
- Heavy-duty Mig/Tig welded construction on all interior and exterior seams
- Anti-derailment device on back of carriage interlocks with rear rail holder for added safety
- Baked enamel paint available in beige/neutral lite or alabaster gray; baked at 275°F; extremely durable, mar/chip resistant, 5H hardness finish

Carriage Wheels

- 3" wheel diameter minimizes rolling effort
- Designed as a heavy-duty system; wheels equipped with two permanently shielded ball bearing assemblies; eight per carriage; each bearing rated at 1,325 pounds
- Double-flanged front wheels ride on a hexagon-shaped front rail; ensures correct tracking and guidance
- Precision machined 1041 grade steel for long life

Anti-Tip Device, Patented

- Features 6063T5 aluminum alloy extruded channel and bullet-shaped cylinders on pivoting arm supports
- Unique design holds mobile shelving secure without impeding the movement of the carriage
- Automatically adjusts to un-level floor surfaces
- U.S. patent number 5,624,166

Rail Assembly

- Cold drawn 1018 steel rails are secured to aluminum rail holders with stainless steel screws evenly spaced 9" to 17" apart
- Front rail is hexagon-shaped to accept a double-flanged guide wheel
- Rear rail is rectangular-shaped to accept a flat load wheel
- Rails are end drilled (+/- .004") to accept a 5/16" x 1" steel dowel pin to align adjoining sections; high precision ensures a smooth rolling surface between sections for ease of movement
- Sloped edge on front rail holder minimizes tripping hazard
- 6063T5 grade aluminum alloy extrusion
- Water-based baked enamel, 5H hardness paint; beige/neutral lite or alabaster gray
- Rear rail holder is designed to interlock with the carriage to prevent derailment
- Decorative foam filler beneath front rail holder fills void between rail assembly and floor surface
- End stops uniquely recessed in the rear rail holder to eliminate tripping hazard; carriage frame butts with end stop, not the carriage wheel



CARRIAGE WHEELS and BUMPER



ANTI TIP




RAIL ASSEMBLY

Lateral Mobile System – Technical Specifications (continued)

Deck Assembly

- Constructed from 3/4" exterior grade Douglas Fir Sturdi-Floor 5-ply pl wood
- Recessed deck can accept tile or carpet of flush mount appearance; standard system includes 3/16" thick 100% Olefin carpet squares; standard colors are charcoal gray and beige;
- 1/4" x 3" solid steel load plates evenly spaced every 9" to 17"; ensures proper transfer of weight to floor surface
- Two heavy-duty padded leveling feet per load plate (5/16"-18 x 11/4"); adjustable from top deck surface with standard flat screwdriver
- Padded leveling foot at every junction between adjoining sections provides extra support
- Can be installed over existing carpet
- Fire retardant deck is available upon request



DECK ASSEMBLY


Available in Beige and Gray.

(* Note: Please add 01 to the stock number to indicate gray as your preference.)

DESCRIPTION	DIMENSIONS	LFI	STOCK NO.
2 x 1-Unit-7 Tier	74"W x 26.5"D x 79.59"H	756"	B-2x1-S-LTR-36-7
2 x 1-Unit-8 Tier	74"W x 26.5"D x 89.96"H	864"	B-2x1-S-LTR-36-8
3 x 2-Unit-7 Tier	110"W x 26.5"D x 79.59"H	1260"	B-3x2-S-LTR-36-7
3 x 2-Unit-8 Tier	110"W x 26.5"D x 89.96"H	1440"	B-3x2-S-LTR-36-8

Open Shelf 36" wide individual tiers

B-S-LTR-36



CARRIAGE STOP

4-POST OPEN SHELF FILES

This streamlined shelving system is easy to install, expand and relocate without hardware or fasteners. The single-view unit is a traditional open shelf file with access from the front. The double-view unit accommodates 2 sets of files. Access one set from the front of the file, and the other from the back. A center stop separates the 2 sets of files and holds them in place. The 4-Post system has a 275 lb. capacity per shelf. Each shelf has up to 34 linear filing inches of space as well. Begin with 7 or 8 tier starter unit in either single or double view, and create as much filing space as you need by connecting 7 or 8 tier add-on units at any time. Heavy-duty steel construction with scratch-resistant powder-coated finish. Choose Tan or Light Gray. Single view shelf measures 36"W x 12"D. Double view shelf measures 36"W x 24"D.



4-POST

DESCRIPTION	Height	STOCK NO.
Single-View 7-Tier Starter Unit	76 1/4"	2F12C8L36-M
Single-View 7-Tier Add-On Unit	76 1/4"	2F1208T36-M
Single-View 8-Tier Starter Unit	88 1/4"	2F12C9L36-M
Single-View 8-Tier Add-On Unit	88 1/4"	2F1209T36-M
Double-View 7-Tier Starter Unit	76 1/4"	2F24C8L36-M
Double-View 7-Tier Add-On Unit	76 1/4"	2F2408T36-M
Double-View 8-Tier Starter Unit	88 1/4"	2F24C9L36-M
Double-View 8-Tier Add-On Unit	88 1/4"	2F2409T36-M
Divider for (10 Pack)		1006FD00



DIVIDERS

FILING SHELVING



4-POST OPEN SHELF X-RAY FILES

Adjustable shelves and movable dividers give you maximum filing flexibility. Sturdy, easy to assemble open shelf system is ideal for X-rays and other large files. Extra strength shelving accommodates the weight of large X-ray folders. Each shelf has a 568 lb. weight capacity, with 34 inches of linear filing space. Includes three movable dividers per shelf. Additional dividers are available. Heavy duty 18 gauge steel construction with scratch resistant powder-coated finish in choice of Tan or Light Gray.

5-Tier Unit measures 36"W x 18"D x 88 1/4"H.

DESCRIPTION

STOCK NO.

5-Tier Starter Unit	TX18C6L36
5-Tier Add-On Unit	TX18C6T36
Extra Dividers (5-Pack)	1610FD00

LOCKING TAMBOUR DOOR KITS

Convert existing 36" wide, 6, 7 and 8 tier Stackable cabinet and/or 7 or 8 tier 4-post shelving into closed locking filing systems to protect files and privacy. The sturdy extruded plastic tambour doors lowers and locks at bottom of the unit to conceal files. The steel housing unit retrofits onto the top of your existing cabinets or shelving. Door retracts out of the way when files are in use. Doors come in two colors, Beige housing with an Ivory door or Gray housing with a Light Gray door.

Locking Tambour Door Kits for Open Shelf Files

DESCRIPTION

WIDTH

HEIGHT

STOCK NO.

6-Tier Open Shelf File (Beige w/Ivory)	36"	64	B-TD3664SX-00-IV
6-Tier Open Shelf File (Gray w/Light Gray)	36"	64	B-TD3664SX-01-LG
6-Tier Open Shelf File w/work shelf (Beige w/Ivory)	36"	66	B-TD3666SX-00-IV
6-Tier Open Shelf File w/work shelf (Gray w/Light Gray)	36"	66	B-TD3666SX-01-LG
7-Tier Open Shelf File (Beige w/Ivory)	36"	74	B-TD3674SX-00-IV
7-Tier Open Shelf File (Gray w/Light Gray)	36"	74	B-TD3674SX-01-LG
7-Tier Open Shelf File w/work shelf (Beige w/Ivory)	36"	77	B-TD3677SX-00-IV
7-Tier Open Shelf File w/work shelf (Gray w/Light Gray)	36"	77	B-TD3677SX-01-LG
8-Tier Open Shelf File (Beige w/Ivory)	36"	84	B-TD3684SX-00-IV
8-Tier Open Shelf File (Gray w/Light Gray)	36"	84	B-TD3684SX-01-LG
8-Tier Open Shelf File w/work shelf (Beige w/Ivory)	36"	87	B-TD3687SX-00-IV
8-Tier Open Shelf File w/work shelf (Gray w/Light Gray)	36"	87	B-TD3687SX-01-LG

Locking Tambour Door Kits for 4-Post Shelf Files

DESCRIPTION

WIDTH

HEIGHT

STOCK NO.

7-Tier Open Shelf File (Beige w/Ivory)	36"	76	B-TD36764P-00-IV
7-Tier Open Shelf File (Gray w/Light Gray)	36"	76	B-TD36764P-01-LG
8-Tier Open Shelf File (Beige w/Ivory)	36"	88	B-TD36884P-00-IV
8-Tier Open Shelf File (Gray w/Light Gray)	36"	88	B-TD36884P-01-LG



FILE TRANSFER CARTS

STANDARD FILE TRANSFER CARTS

This file transfer cart is available with either two angled, divider type shelves for end-tab folders or with one angled divider type shelf on top and a flat shelf on the bottom to hold boxes and other supplies.

- 18 gauge steel
- 4 swivel casters
- 3 colors-Beige or Gray
(Please Note: Add 01 to the stock number if you desire to order Gray)

DESCRIPTION

STOCK NO.

(Units can be shipped unassembled to save on freight and packaging costs. Please add KD to the part number for unassembled units.)

Cart with one angled divider shelf with two removable dividers, one flat shelf, end covers and top.	Unassembled	VC-CFC005-KD
	Assembled	VC-CFC005
Cart with two angled divider shelves with four removable dividers,, end covers and top	Unassembled	VC-CFC008-KD
	Assembled	VC-CFC008
Additional Shelf Dividers (Pack of 2)		VC-CFC001



STANDARD FILE TRANSFER CART

STANDARD FILE TRANSFER CART WITH LOCKING DOOR

This lockable file transfer cart is also available with either two angled, divider type shelves for end-tab folders or with one angled divider type shelf on top and a flat shelf on the bottom to hold boxes and other supplies.

- 18 gauge steel
- 4 swivel casters
- 3 colors-Beige or Gray
(Please Note: Add 01 to the stock number if you desire to order Gray)

DESCRIPTION

STOCK NO.

(Units can be shipped unassembled to save on freight and packaging costs. Please add KD to the part number for unassembled units.)

Cart with one angled divider shelf with two removable dividers, one flat shelf, end covers and top.	Unassembled	VC-CFC005-DG-TD-KD
	Assembled	VC-CFC005-DG-TD
Cart with two angled divider shelves with four removable dividers,, end covers and top	Unassembled	VC-CFC008-DG-TD-KD
	Assembled	VC-CFC008-DG-TD
Additional Shelf Dividers (Pack of 2)		VC-CFC001



FILE TRANSPORT CART WITH LOCKING TAMBOUR DOOR